



Rilize s.l. fabrica desde hace más de dos décadas, con tecnología propia, sus modelos de ozonizadores o generadores de ozono. Así, Rilize ofrece todo tipo de servicios, tanto industriales como domésticos, gracias al gran poder desinfectante de sus productos, que eliminan totalmente las bacterias, virus, hongos y parásitos. Rilize consigue también resultados muy satisfactorios en el tratamiento y desinfección de aguas, es decir, en la gestión de la calidad del agua, pero también en el tratamiento del aire, de las aguas residuales, en la ozonoterapia, en la eliminación de malos olores y otros muchos campos y aplicaciones.



SERIE MINI



www.rilize.com

info@rilize.com

conservamos aire y agua con toda naturalidad

Ozono

El ozono O₃ es una molécula compuesta por tres átomos de oxígeno. La existencia del ozono fue supuesta desde 1871 por Van Marum, que notó su olor en el aire atravesado por descargas eléctricas, y fue finalmente descubierto y denominado - del término griego "ozein", oler - en 1840 por Schömbein. Marignac, Becquerel y Fermi investigaron y establecieron la naturaleza del ozono, y su fórmula y constitución fueron más tarde determinadas y dadas a conocer por las investigaciones de J. L. Soret.

Debido a sus poderosos efectos oxidantes y bactericidas, el ozono se utiliza para renovar el aire en atmósferas confinadas y para la esterilización y el tratamiento de las aguas. El interés de las aplicaciones del ozono en el tratamiento del agua es debido tanto a sus características oxidantes especialmente energéticas, aprovechadas para degradar o eliminar ciertas sustancias orgánicas o minerales no deseables, como a su extremado poder bactericida y virulicida.



La serie MINI está fabricada en plástico ABS de alta calidad con avanzado diseño y acabado. El ozono es producido electrónicamente por alta frecuencia. Por su configuración, el generador de ozono serie mini no necesita ninguna instalación, lo que permite su traslado sin dificultad para realizar todas las aplicaciones necesarias de aire en cualquier lugar o zona.

Los ozonizadores serie mini se fabrica en tres modelos: con conector directamente al enchufe de la red eléctrica, con cable para situarlo alejado del enchufe y el modelo para vehículo de 12 o 24 v con conector al mechero del vehículo.

Nuestros fabricados de ozonizador serie mini cumplen con la norma internacional de marcado **CE**

CARACTERISTICAS SERIE MINI

MODELO	PRODUCCION O ₃ mgr /h	MEDIDAS milímetros	PESO gramos	CONSUMO w/h	Numero de Lamparas de O ₃
MINI	11	100x55x35	250	3	1
MINI 2	19	100x55x35	270	5	2
MINI-CABLE	11	100x55x35	250	3	1
MINI CABLE 2	19	100x55x35	270	5	2
MINI-AUTO	11	100x55x35	300	0,5	1
MINI AUTO 2	19	100x55x35	320	0,7	2

TRES AÑOS DE GARANTIA



Rilize S.L. It manufactures more than two Decades, with proprietary technology, models of ozonizers or ozone generators. THUS, Rilize offers all kinds of services, industry and domestic Both, thanks to the great disinfectant power of Their products, Which completely Eliminates bacteria, viruses, fungi and parasites. Also Rilize very satisfactory results Achieved in the treatment and disinfection of water, ie, in the management of water quality, but Also in the air treatment of wastewater, in the ozone-therapy, Eliminating bad odors and many other fields and applications.



MINI SERIES



www.rilize.com

info@rilize.com

We retain air and water factly

Ozone

O₃ Ozone is a molecule composed of three oxygen atoms. Ozone existence was supposed from 1871 by Van Marum, who noticed the smell in the air crossed by electric shock, and was finally discovered and named - the Greek word "ozein" smell - in 1840 by Schömbein. Marignac, Becquerel and Fermi investigated and established the nature of ozone, and its formula and constitution were later determined and released by the investigations of J. L. Soret.

Because of its powerful oxidizing and bactericidal effects, ozone is used to clear the air in confined atmospheres and sterilization and water treatment. The interest of ozone applications in water treatment is due both to its oxidizing properties especially energy, harnessed to degrade or eliminate certain bactericidal and virucidal undesirable organic substances or minerals, as its power.



The MINI series is made of high quality ABS plastic with advanced design and finish. Ozone is produced by high frequency electronically. For its configuration, the mini series ozone generator requires no installation, which allows transfer without difficulty performing all necessary air applications anywhere or zone.

Ozonizers mini series comes in three models: with connector directly to the mains socket, wired to place it away from the plug and the vehicle model for 12 or 24 v connector to the cigarette lighter.

Our mini series ozonizer manufactured in compliance with the international standard dial **CE**

MINI SERIES FEATURES

MODEL	PRODUCTION O ₃ mgr /h	MEASUREM ENTS mm	WIGHT grams	CONSUMP TION w/h	Number of Lamps O ₃
MINI	11	100x55x35	250	3	1
MINI 2	19	100x55x35	270	5	2
MINI-CABLE	11	100x55x35	250	3	1
MINI-CABLE 2	19	100x55x35	270	5	2
MINI-AUTO	11	100x55x35	300	0,5	1
MINI AUTO 2	19	100x55x35	320	0,7	2

THREE YEAR WARRANTY